



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or T S E

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	030278-TSE-09/01
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	26.06.2018
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	26.06.2020
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	ONPO MADENCİLİK İNŞASAN.TİC.A.Ş.
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	KAYAŞ SAMSUN DEVLET YOLU NO:687 MAMAK ANKARA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	ONPO MADENCİLİK İNŞAAT SANAYİ VE TİCARET ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	BALA-KIRŞEHİR YOLU 19.KM. DURMETEPE MEVKİİ ÇAVUŞLU KÖYÜ BALA ANKARA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	ONEX
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 15283-1+A1 / 27.12.2012
BELGE KAPSAMI SCOPE OF LICENCE	

GYPSUM BOARDS WITH MAT REINFORCEMENT, BEVELLED AND SQUARE EDGE (NOT USED FOR STIFFENING BUILDING ASSEMBLIES (I.E. WALLS, PARTITIONS, ROOF TRUSS STRUCTURES))
REACTION TO FIRE CLASS: A1
WIDTH: 1200 mm
LENGTH: 2000-3000 mm
THICKNESS: 12,5 mm
TYPES:
1)TYPE: GM-F-H1-R
(GYPSUM BOARDS WITH MAT REINFORCEMENT WITH IMPROVED CORE COHESION AT HIGH TEMPERATURE, REDUCED WATER ABSORPTION RATE, ENHANCED STRENGTH)
WATER VAPOUR RESISTANCE FACTOR: 10 (ACCORDING TO TS EN 12524 TABULATED VALUES)
THERMAL CONDUCTIVITY: $\leq 0,25$ W/(M.K) (ACCORDING TO TS EN 12524 TABULATED VALUES)




19.11.2019

On Behalf Of The Head Of Certification Center
ŞİMA AKKAYA

DIRECTOR OF CONSTRUCTION MATERIALS SECTOR

This certificate also shows that the production place of the certified product meets the requirements of Institute.
This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.
TSE CONSTRUCTION MATERIALS SECTOR DIRECTORATE * Address: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telephone: 0312 416 63 79* Fax: 0312-416 66 17
*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web :www.tse.org.tr

